

Annapurna SIL OpenType features

OpenType features are used by OpenType engines to render the proper shaping of Devanagari characters. However, there are some glyph variations in some majority (Nepali) and minority languages. Some applications let the user control certain features to render variant characters. Below are variants in Annapurna SIL.

Stylistic Sets

For applications which support OpenType Stylistic Sets, such as InDesign CS 4+, the Stylistic Set number is chosen. In InDesign, from the “Character” palette select “OpenType / Stylistic Sets” and then choose the Set you want to apply to the text you have selected. The default character should change to the variant character. You can also set your Stylistic Set preference in paragraph and character styles.


Character variant	Stylistic Set	Default characters	Variant characters
Jha alternate 1	set 1	ঝ ঝঝ ঝঝ ঝঝ	ঝঝ ঝঝ ঝঝ ঝঝ
Jha alternate 2	set 2	ঝ ঝঝ ঝঝ ঝঝ ঝঝ	ঝ ঝ ঝঝ ঝ ঝ ঝ
Kra alternate	set 3	ক্ৰ ক্ৰ	ক্ৰ ক্ৰ
Tra alternate	set 4	ত্ৰ ত্ৰ	ত্ৰ ত্ৰ
Shra alternate	set 5	শ্ৰ শ্ৰ	শ্ৰ শ্ৰ
Ukar nukta position	set 6	কু কূ কু কূ	কু কূ কু কূ
Ekar nukta position	set 7	কে	কে
Digit five alternate	set 8	৫	৫
Digit eight alternate	set 9	৮	৮
Digit nine alternate 1	set 10	৯	৯
Digit nine alternate 2	set 11	৯	৯
Visarga with bar	set 12	:	:
Glottal stop - no bar	set 13	ঁ	ঁ
Dya alternates	set 14	ঘ দ্য দ্যঘ দ্যঘ দ্যঘ	ঘ দ্য দ্য দ্যঘ দ্যঘ দ্যঘ
Hya alternates		হ্য হ্য হ্য হ্য হ্য	হ্য হ্য হ্য হ্য হ্য
Archaic forms	set 15	অ আ ও ঔ ণ ণ ক্ষ ক্ষ	অ আ ও ঔ ণ ণ ক্ষ ক্ষ
not used	set 16		
not used	set 17		
not used	set 18		
not used	set 19		
not used	set 20		

Annapurna SIL Graphite features


Graphite features are used by the Graphite engine to render the proper shaping of Devanagari characters. However, some applications let the user control which features to use. Below is a list of some found in Annapurna SIL.

How to access Graphite features

When Annapurna SIL is used in applications that support Graphite, and that provide an appropriate user interface, various user-controllable font features are available that allow access to variant glyphs that might be preferable for use in some contexts. In LibreOffice 4.2+¹ and the Graphite version of OpenOffice 3.2² the font features can be turned on by choosing the font (e.g. Annapurna SIL), followed by a colon, followed by the feature ID, and then followed by the feature setting. So, for example, if the Nepali Jha alternates are desired, the font selection would be “Annapurna SIL:jhav=1”. If you wish to apply two (or more) features, you can separate them with an “&”. Thus, “Annapurna SIL:jhav=1&dig5=1” would apply Nepali “Jha alternates” plus the “Digit five alternate” features. In the charts on the next page, the first in the list is the default (0) followed by ID=1 and if available, followed by ID=2.



One way to do this is to choose Tools (on the menu bar) > Options > Writer³ > Basic Fonts (CTL) and after Annapurna SIL, type in the feature(s) desired. The illustration above enables the Nepal version of Jha alternates and digits five, eight and nine (Form 2) alternates. This method applies the features to the whole document.



If you only want to apply the feature(s) to part of the text, select the desired text (shown circled) and then type in the desired feature ID(s) in the font box (where the arrow is pointing).

The next page gives the list of feature IDs.

¹ Download here: <http://www.libreoffice.org/>. (This application is recommended since it has the faster graphite2 rendering engine.)

² Download here: <http://www.openoffice.org/>.

³ Either OpenOffice.org Writer or LibreOffice Writer

List of Graphite features

Jha variants

India:	ଝ ଝ୍ ଝ୍ୟ ଝ୍ୟ୍	Annapurna SIL (default)
Nepal:	ଖ ଖ୍ ଖ୍ୟ ଖ୍ୟ୍	Annapurna SIL:jhav=1
Newar:	କୁ କୁୟ କୁୟୁ କୁୟୁୟ	Annapurna SIL:jhav=2

Kra variants

False:	କ୍ର କ୍ର	Annapurna SIL (default)
True:	କ୍ର କ୍ର	Annapurna SIL:krav=1

Tra variants

False:	ତ୍ର ତ୍ର	Annapurna SIL (default)
True:	ତ୍ର ତ୍ର	Annapurna SIL:trav=1

Shra variants

False:	ଶ୍ର ଶ୍ର	Annapurna SIL (default)
True:	ଶ୍ର ଶ୍ର	Annapurna SIL:shra=1

Dya and hya variants

False:	ଦ୍ୟ ଦ୍ୟ ଦ୍ୟ ଦ୍ୟ୍ ଦ୍ୟ୍ୟ ଦ୍ୟ୍ୟ	Annapurna SIL (default)
	ହ୍ୟ ହ୍ୟ ହ୍ୟ ହ୍ୟ୍ ହ୍ୟ୍ୟ	
True:	ଦ୍ୟ ଦ୍ୟ ଦ୍ୟ ଦ୍ୟ୍ ଦ୍ୟ୍ୟ ଦ୍ୟ୍ୟ	Annapurna SIL:dyah=1
	ହ୍ୟ ହ୍ୟ ହ୍ୟ ହ୍ୟ୍ ହ୍ୟ୍ୟ	

Rya variants

False:	ର୍ୟ ର୍ୟ ର୍ୟ ର୍ୟ୍ ର୍ୟ୍ୟ	Annapurna SIL (default)
True:	ର୍ୟ ର୍ୟ ର୍ୟ ର୍ୟ୍ ର୍ୟ୍ୟ ର୍ୟ୍ୟ	Annapurna SIL:ryav=1

Ukar nukta position

Inside:	କୁ କୁୟ କୁୟୁ କୁୟୁୟ	Annapurna SIL (default)
Outside:	କୁ କୁୟ କୁୟୁ କୁୟୁୟ	Annapurna SIL:ukar=1

Ekar nukta position

Low:	କେ	Annapurna SIL (default)
High:	କେ	Annapurna SIL:ekar=1

Digit five variant

False:	୫	Annapurna SIL (default)
True:	୫୨	Annapurna SIL:dig5=1

Digit eight variant

False:	୮	Annapurna SIL (default)
True:	୮୯	Annapurna SIL:dig8=1

Digit nine variants

Form 1	୯	Annapurna SIL (default)
Form 2	୯୯	Annapurna SIL:dig9=1
Form 3	୯୯୯	Annapurna SIL:dig9=2

Visarga connecting bar

False:	:	Annapurna SIL (default)
True:	ଃ	Annapurna SIL:vbar=1

Limbu glottal stop connecting bar

True:	ଃ	Annapurna SIL (default)
False:	?	Annapurna SIL:gbar=1

Archaic forms

False:	ଅ ଆ ଓଁ ଔଁ ଣ ଏ କ୍ଷ ଙ୍କ	Annapurna SIL (default)
True:	ଗ୍ର ଗ୍ରୀ ଗ୍ରୌ ଣ୍ଣ ଏ କ୍ଷ୍ଣ ଙ୍କ୍ଷ୍ଣ	Annapurna SIL:arch=1

Annapurna SIL common font features

Many font features in Annapurna SIL are common to both OpenType and Graphite rendering engines to render the proper shaping of Devanagari characters. Others features are used to create a more pleasing look. In Graphite and Uniscribe applications, these features are always “on”. In Adobe CS4+, the features marked in bold are user selectable through the OpenType selection list.

Fractions

No OpenType or Graphite $\frac{1}{2}$ $\frac{1}{4}$ $\frac{3}{8}$

Fractions (OpenType and Graphite) $\frac{1}{2}$ $\frac{1}{4}$ $\frac{3}{8}$

OpenType Ligatures feature* $\frac{1}{2}$ $\frac{1}{4}$ $\frac{3}{8}$

* The Ligatures feature is included in the font since applications using Uniscribe use it instead of the Fractions feature.

Contextual alternates

Latin punctuation

The Latin characters in Annapurna SIL are derived from the Charis SIL font. However, the exclamation and question marks were redrawn to fit the style of the Annapurna Devanagari glyphs and are used by default. But they will switch to the Charis style punctuation when preceded by a Latin character. This is accomplished by use of the Contextual Alternates OpenType feature.

No OpenType or Graphite test! test? (Annapurna style punctuation)

Contextual Alternates (OpenType and Graphite) test! test? (Charis style punctuation)

Example (Contextual Alternates on) नमस्ते! Namaste! (Both styles in context)

Stacking conjunct compression

If there is a matra below a stacking conjunct, this feature compresses the conjunct which raises the matra above the descender height line. Otherwise, they could clash with matras or signs above the bar on the following line.

No OpenType or Graphite क् कृ कू कु कृ

Contextual Alternates (OpenType and Graphite) क् कृ कू कु कृ